



FTBx-8870 Report

PASS

Report Header: EXFO Inc.
Report Title:
Report Date: 6/29/2023 3:45:14 PM
Type: EtherSAM (Y.1564)

Job Information

Job ID: RTASK2569492
Circuit ID: Jnet:DTN/USB/ETH00007509.0
Contractor Name:
Customer Name: dixie-k12
Operator Name: kithc
Comment:

Table of contents

SUMMARY	1
TEST RESULTS	4
TEST SETUP	6
FUNCTIONS	9
SYSTEM INFORMATION	33
LOGGER	35

SUMMARY

Results Summary

Test Status	
Service Configuration Test Status	Completed, Pass
Service Performance Test Status	Completed, Pass
Pass/Fail Verdict	PASS
Start Time	6/29/2023 03:20:46 PM
Duration	00d:00:10:47
Test Recovery	0

EtherSAM

Services Summary			
	Service Name	Service Configuration Test	Service Performance Test
1	Service 1	PASS	PASS

Service Configuration Summary						
	Service Name	Frame Loss Rate	Max Jitter (ms)	Max Latency (ms)	Max Throughput (Mbit/s)	Service Verdict
1	Service 1	0.0E-00	0.09396	15.42968	1899.98	PASS

Service Performance Summary						
	Service Name	Frame Loss Rate	Max Jitter (ms)	Max Latency (ms)	Avg Throughput (Mbit/s)	Service Verdict
1	Service 1	2.2E-07	0.13189	15.89066	1899.99	PASS

VLAN Preservation	No Mismatch Detected
--------------------------	----------------------

RX Power Level		
	Min	Max
Power Range (dBm)	-19.0	-1.0
RX Power Level (dBm)	-2.5	-2.4

RX Frequency		
	Max Negative Offset	Max Positive Offset
Frequency Offset (ppm)	0.0	0.2

Alarms/Errors

Alarms/Errors List	
Active/Historical Alarms/Errors	Frame Loss

Interface	
Alarms	Seconds
LOS	0
Frequency	0

Ethernet	
Alarms	Seconds
Link Down	0
Local Fault Detected	0
Local Fault Received	0
Remote Fault	0

Errors	Seconds	Count	Rate
Block	0	0	0.00E00
FCS	0	0	0.00E00
Jabber	0	0	0.00E00
Oversize	Disabled		
Runt	0	0	0.00E00
Undersize	0	0	0.00E00
Total		0	

Clock Sync	
Alarm	Seconds
LOC	0

IP/UDP/TCP			
Errors	Seconds	Count	Rate
IP Checksum	0	0	0.00E00
UDP Checksum	0	0	0.00E00
TCP Checksum	0	0	0.00E00
Total		0	

Setup Summary

Application Type	EtherSAM (Y.1564)
------------------	-------------------

Topology	Single Port
----------	-------------

Interface	Port 1
Interface/Rate	10GE LAN
Connector	SFP+

Flow Control	None
--------------	------

EtherSAM

Pass/Fail Verdict	Enabled
-------------------	---------

Sub-Tests			
Service Configuration Test		Service Performance Test	
Ramp Test	Enabled	Status	Enabled
Burst selection	Disabled	Duration	00d:00:10:00
Duration	00:00:20		

Ramp	
Step Time (s)	5
Step Values	
1	50 %
2	75 %
3	90 %
4	100 %

Services

Total Committed TX Rate (Mbit/s)	1900.00
----------------------------------	---------

Services Summary								
	Service Name	Profile	Frame Size (Bytes)	CIR (Mbit/s)	Max Jitter (ms)	Max Latency (ms)	Frame Loss Rate	CBS (Bytes)
1	Service 1	Data	Random	1900.00	2.00000	28.00000	1.0E-04	--

TEST RESULTS

Ethernet Traffic

Frame Type	TX Count	RX Count
Multicast	0	346
Broadcast	2	0
Unicast	180325744	180325726
Non-Unicast	2	346
Total	180325746	180326072

Frame Size (Bytes)	RX Count	%
< 64	0	0.0
64	123545	0.0
65 - 127	7811096	4.3
128 - 255	15865733	8.7
256 - 511	31725127	17.5
512 - 1023	63456877	35.1
1024 - 1518	61343694	34.0
> 1518	0	0.0
Total	180326072	

Detailed EtherSAM Results

Service Configuration Test

Service 1 : Service 1

Committed Steps					
Committed Step	Frame Loss Rate	Max Jitter (ms)	Max Latency (ms)	Verdict	Avg Throughput (Mbit/s)
1-50%CIR	0.0E-00	0.09396	15.42968	PASS	949.99
2-75%CIR	0.0E-00	0.07394	15.34814	PASS	1425.00
3-90%CIR	0.0E-00	0.07809	15.38027	PASS	1710.00
CIR	0.0E-00	0.08121	15.41222	PASS	1899.98

Service Performance Test

Service 1 : Service 1

	Average	Minimum	Maximum	Estimate
Throughput (Mbit/s)	1899.99	1899.81	1900.18	N/A
Jitter (ms)	0.00420	< 0.00001	0.13189	0.00465
Latency (ms)	15.24248	15.21092	15.89066	N/A
	Seconds	Count	Rate	
Frame Loss	5	39	2.2E-07	
Out-of-Sequence	0	0	0.0E00	

TEST SETUP

Clock Synchronization	
Clock Mode	Internal

Detailed Services Configuration

Layer Mode	Mixed
IP Version	IPv4
Global Pass/Fail Verdict	Enabled
Total Committed TX Rate (Mbit/s)	1900.00

Service 1

Service Profile	
Service Name	Service 1
Profile	Data
Frame Size Type	Random

SLA Parameters	
Information Rate	
CIR (Mbit/s)	1900.00
Performance Criteria	
Max Jitter (ms)	2.00000
Max Latency (ms)	28.00000
Frame Loss Rate	1.0E-04

Test Parameters

Framing	
Frame Format	Ethernet II
Network Layer	IPv4
Transport Layer	UDP
VLAN	None
MPLS	Disabled

Addressing

	MAC	IP Address	UDP Port
Source	00:03:01:F8:22:DD	10.112.0.1 / 255.255.255.0	49184
Destination	00:03:01:14:55:42	10.112.0.100	7

EtherType	0x0800
Automatic IP (DHCP)	Disabled
TTL	128
TOS	0x00
Default Gateway	Disabled

FUNCTIONS

Ping & Trace Route

Network	
Source MAC Address	00:03:01:F8:22:DD
Source IP Address	10.112.0.1 (Stream 1)
Destination IP Address	10.112.0.100

Ping	
Timeout (ms)	1000
Delay (ms)	1000
Data Size (Bytes)	32
TTL	128
Type Of Service (TOS)	0x00

Ping Results		
No.	Status	Reply Details
172	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
173	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
174	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
175	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
176	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
177	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
178	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
179	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
180	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
181	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
182	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
183	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
184	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
185	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
186	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
187	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
188	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
189	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
190	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
191	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
192	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
193	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
194	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

754	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
755	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
756	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
757	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
758	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
759	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
760	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
761	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
762	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
763	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
764	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
765	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
766	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
767	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
768	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
769	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
770	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
771	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
772	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
773	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
774	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
775	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
776	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
777	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
778	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
779	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
780	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
781	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
782	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
783	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
784	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
785	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
786	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
787	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
788	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
789	Successful	IP=10.112.0.100, Bytes=32, Time=15 ms, TTL=127
790	Timeout	
791	Timeout	
792	Timeout	
793	Timeout	
794	Timeout	
795	Timeout	
796	Timeout	

797	Timeout	
798	Timeout	
799	Timeout	
800	Timeout	
801	Timeout	
802	Timeout	
803	Timeout	
804	Timeout	
805	Timeout	
806	Timeout	
807	Timeout	
808	Timeout	
809	Timeout	
810	Timeout	
811	Timeout	
812	Timeout	
813	Timeout	
814	Timeout	
815	Timeout	
816	Timeout	
817	Timeout	
818	Timeout	
819	Timeout	
820	Timeout	
821	Timeout	
822	Timeout	
823	Timeout	
824	Timeout	
825	Timeout	
826	Timeout	
827	Timeout	
828	Timeout	
829	Timeout	
830	Timeout	
831	Timeout	
832	Timeout	
833	Timeout	
834	Timeout	
835	Timeout	
836	Timeout	
837	Timeout	
838	Timeout	
839	Timeout	

840	Timeout	
841	Timeout	
842	Timeout	
843	Timeout	
844	Timeout	
845	Timeout	
846	Timeout	
847	Timeout	
848	Timeout	
849	Timeout	
850	Timeout	
851	Timeout	
852	Timeout	
853	Timeout	
854	Timeout	
855	Timeout	
856	Timeout	
857	Timeout	
858	Timeout	
859	Timeout	
860	Timeout	
861	Timeout	
862	Timeout	
863	Timeout	
864	Timeout	
865	Timeout	
866	Timeout	
867	Timeout	
868	Timeout	
869	Timeout	
870	Timeout	
871	Timeout	
872	Timeout	
873	Timeout	
874	Timeout	
875	Timeout	
876	Timeout	
877	Timeout	
878	Timeout	
879	Timeout	
880	Timeout	
881	Timeout	
882	Timeout	

883	Timeout	
884	Timeout	
885	Timeout	
886	Timeout	
887	Timeout	
888	Timeout	
889	Timeout	
890	Timeout	
891	Timeout	
892	Timeout	
893	Timeout	
894	Timeout	
895	Timeout	
896	Timeout	
897	Timeout	
898	Timeout	
899	Timeout	
900	Timeout	
901	Timeout	
902	Timeout	
903	Timeout	
904	Timeout	
905	Timeout	
906	Timeout	
907	Timeout	
908	Timeout	
909	Timeout	
910	Timeout	
911	Timeout	
912	Timeout	
913	Timeout	
914	Timeout	
915	Timeout	
916	Timeout	
917	Timeout	
918	Timeout	
919	Timeout	
920	Timeout	
921	Timeout	
922	Timeout	
923	Timeout	
924	Timeout	
925	Timeout	

926	Timeout	
927	Timeout	
928	Timeout	
929	Timeout	
930	Timeout	
931	Timeout	
932	Timeout	
933	Timeout	
934	Timeout	
935	Timeout	
936	Timeout	
937	Timeout	
938	Timeout	
939	Timeout	
940	Timeout	
941	Timeout	
942	Timeout	
943	Timeout	
944	Timeout	
945	Timeout	
946	Timeout	
947	Timeout	
948	Timeout	
949	Timeout	
950	Timeout	
951	Timeout	
952	Timeout	
953	Timeout	
954	Timeout	
955	Timeout	
956	Timeout	
957	Timeout	
958	Timeout	
959	Timeout	
960	Timeout	
961	Timeout	
962	Timeout	
963	Timeout	
964	Timeout	
965	Timeout	
966	Timeout	
967	Timeout	
968	Timeout	

969	Timeout	
970	Timeout	
971	Timeout	
972	Timeout	
973	Timeout	
974	Timeout	
975	Timeout	
976	Timeout	
977	Timeout	
978	Timeout	
979	Timeout	
980	Timeout	
981	Timeout	
982	Timeout	
983	Timeout	
984	Timeout	
985	Timeout	
986	Timeout	
987	Timeout	
988	Timeout	
989	Timeout	
990	Timeout	
991	Timeout	
992	Timeout	
993	Timeout	
994	Timeout	
995	Timeout	
996	Timeout	
997	Timeout	
998	Timeout	
999	Timeout	
1000	Timeout	
1001	Timeout	
1002	Timeout	
1003	Timeout	
1004	Timeout	
1005	Timeout	
1006	Timeout	
1007	Timeout	
1008	Timeout	
1009	Timeout	
1010	Timeout	
1011	Timeout	

1012	Timeout	
1013	Timeout	
1014	Timeout	
1015	Timeout	
1016	Timeout	
1017	Timeout	
1018	Timeout	
1019	Timeout	
1020	Timeout	
1021	Timeout	
1022	Timeout	
1023	Timeout	
1024	Timeout	
1025	Timeout	
1026	Timeout	
1027	Timeout	
1028	Timeout	
1029	Timeout	
1030	Timeout	
1031	Timeout	
1032	Timeout	
1033	Timeout	
1034	Timeout	
1035	Timeout	
1036	Timeout	
1037	Timeout	
1038	Timeout	
1039	Timeout	
1040	Timeout	
1041	Timeout	
1042	Timeout	
1043	Timeout	
1044	Timeout	
1045	Timeout	
1046	Timeout	
1047	Timeout	
1048	Timeout	
1049	Timeout	
1050	Timeout	
1051	Timeout	
1052	Timeout	
1053	Timeout	
1054	Timeout	

1055	Timeout	
1056	Timeout	
1057	Timeout	
1058	Timeout	
1059	Timeout	
1060	Timeout	
1061	Timeout	
1062	Timeout	
1063	Timeout	
1064	Timeout	
1065	Timeout	
1066	Timeout	
1067	Timeout	
1068	Timeout	
1069	Timeout	
1070	Timeout	
1071	Timeout	
1072	Timeout	
1073	Timeout	
1074	Timeout	
1075	Timeout	
1076	Timeout	
1077	Timeout	
1078	Timeout	
1079	Timeout	
1080	Timeout	
1081	Timeout	
1082	Timeout	
1083	Timeout	
1084	Timeout	
1085	Timeout	
1086	Timeout	
1087	Timeout	
1088	Timeout	
1089	Timeout	
1090	Timeout	
1091	Timeout	
1092	Timeout	
1093	Timeout	
1094	Timeout	
1095	Timeout	
1096	Timeout	
1097	Timeout	

1098	Timeout	
1099	Timeout	
1100	Timeout	
1101	Timeout	
1102	Timeout	
1103	Timeout	
1104	Timeout	
1105	Timeout	
1106	Timeout	
1107	Timeout	
1108	Timeout	
1109	Timeout	
1110	Timeout	
1111	Timeout	
1112	Timeout	
1113	Timeout	
1114	Timeout	
1115	Timeout	
1116	Timeout	
1117	Timeout	
1118	Timeout	
1119	Timeout	
1120	Timeout	
1121	Timeout	
1122	Timeout	
1123	Timeout	
1124	Timeout	
1125	Timeout	
1126	Timeout	
1127	Timeout	
1128	Timeout	
1129	Timeout	
1130	Timeout	
1131	Timeout	
1132	Timeout	
1133	Timeout	
1134	Timeout	
1135	Timeout	
1136	Timeout	
1137	Timeout	
1138	Timeout	
1139	Timeout	
1140	Timeout	

1141	Timeout	
1142	Timeout	
1143	Timeout	
1144	Timeout	
1145	Timeout	
1146	Timeout	
1147	Timeout	
1148	Timeout	
1149	Timeout	
1150	Timeout	
1151	Timeout	
1152	Timeout	
1153	Timeout	
1154	Timeout	
1155	Timeout	
1156	Timeout	
1157	Timeout	
1158	Timeout	
1159	Timeout	
1160	Timeout	
1161	Timeout	
1162	Timeout	
1163	Timeout	
1164	Timeout	
1165	Timeout	
1166	Timeout	
1167	Timeout	
1168	Timeout	
1169	Timeout	
1170	Timeout	
1171	Timeout	

Ping Statistics

Packets Transmitted	1171
Packets Received	789
Percentage Lost (%)	32.6
Minimum Round Trip Time (ms)	15
Maximum Round Trip Time (ms)	19
Average Round Trip Time (ms)	15

SYSTEM INFORMATION

Product Name	Power Blazer Series
Version	Power Blazer Series 1.100
Module ID	FTBx-8870
Slot ID	1
Software Product Version	1.100.0.55
	Power Blazer Series 1.100
Assembly Hardware Revision	B
Serial Number	1343183
Calibration Date	4/20/2020 9:30:00 PM

Pluggable Module

Module ID	SFP+
Vendor Name	WFS
Part Number	10GB-SFP-LR-JN
Serial Number	WFJNXPL917
Hardware Revision	1.0
Connector Type	LC
Speed	10G
Type/Compliance Code	LR, 10.0 km (SMF)
Wavelength	1310 nm
Mode	Single-Mode Fiber
Power Class	Power Class 1 Module (<= 1W max)
Temperature (Max)	27.8 °C

Software Options

100electrical	Ethernet 100Base-TX (Electrical) Interface	Enabled
100optical	Ethernet 100Base-FX (Optical) Interface	Disabled
10electrical	Ethernet 10Base-T (Electrical) Interface	Enabled
10G_LAN	Ethernet 10G LAN optical interface	Enabled
10G_WAN	Ethernet 10G WAN optical interface	Enabled
155M	155 Mbit/s	Disabled
1588PTP	1588 Precision Time Protocol	Disabled
2488M	2.488 Gbit/s	Disabled
52M	52 Mbit/s	Enabled
622M	622 Mbit/s	Disabled
9953M	9.953 Gbit/s	Disabled
Cable_Test	Cable Test	Disabled
CPRI	CPRI 2.4576 Gbit/s and 3.072 Gbit/s	Disabled
CPRI-1.2G	CPRI 1.2288 Gbit/s	Disabled
CPRI-10.1G	CPRI 10.1376 Gbit/s	Disabled
CPRI-4.9G	CPRI 4.9152 Gbit/s	Disabled
CPRI-6.1G	CPRI 6.144 Gbit/s	Disabled
CPRI-9.8G	CPRI 9.8304 Gbit/s	Disabled
DS1-FDL	DS1/1.5M Facility Data Link	Disabled
DSn	Digital Signal (DS1, DS3)	Disabled
eCPRI-10G	eCPRI over 10G Ethernet	Disabled
EoE	Ethernet over Ethernet Encapsulation (10GE and less)	Disabled
EoOTN	Ethernet over Optical Transport Network	Disabled
ETH-OAM	Carrier Ethernet OAM Test Application	Disabled
FC-10X	Fibre Channel 10X	Disabled
FC-1X	Fibre Channel 1X	Disabled
FC-2X	Fibre Channel 2X	Disabled
FC-4X	Fibre Channel 4X	Disabled
FC-8X	Fibre Channel 8X	Disabled
GCC-BERT	OTN Overhead BERT and Synchronization Validation	Disabled
GigE_Electrical	Ethernet 1000Base-T (Electrical) Interface	Enabled
GigE_Optical	Ethernet 1000Base-X (Optical) Interface	Enabled
iOptics	Intelligent Pluggable Optic Test Application	Disabled
iSAM	Intelligent Service Activation Methodology	Disabled
L2-Transparency	L2CP Handling Test in EtherSAM	Disabled
LINK-OAM	Link OAM	Disabled
MPLS	MPLS Encapsulation (10GE and less)	Disabled
NI-CSU	NI/CSU Emulation	Disabled
OBSAI	OBSAI 3.072 Gbit/s	Disabled
OBSAI-1.5G	OBSAI 1.536 Gbit/s	Disabled
OBSAI-6.1G	OBSAI 6.144 Gbit/s	Disabled
ODU0	OTN ODU0	Disabled
ODUflex	OTN ODUflex	Disabled
ODUMUX	ODU Multiplexing Payload Type 20 and 21	Disabled

OTN-INTR-THRU	OTN Intrusive Through Mode	Disabled
OTU1	Optical Transport Unit-1 (2.7 Gbit/s)	Disabled
OTU2	Optical Transport Unit-2 (10.7 Gbit/s)	Disabled
OTU2-1e-2e	Optical Transport Unit-2 Overclocked (11.049/11.096 Gbit/s)	Disabled
OTU2-1f-2f	Optical Transport Unit-2 Overclocked (11.270/11.317 Gbit/s)	Disabled
PBBTE	Provider Backbone Bridge Encapsulation (10GE and less)	Disabled
PDH	Plesiochronous Digital Hierarchy (E1, E3, E4)	Disabled
RFC6349	RFC 6349 Test Application (25GE and less)	Disabled
SDH	Synchronous Digital Hierarchy	Enabled
SONET	Synchronous Optical Network	Enabled
SyncE	Synchronous Ethernet	Disabled
TCM	Tandem Connection Monitoring HO/LO	Disabled
TCP-THPUT	Tcp Throughput Test Application	Disabled
TST-OAM	Test Over Service OAM	Disabled

LOGGER

ID	Start Time	Event	Duration	Details
1	06/29 03:20:46 PM	Test Started		2023-06-29
2	06/29 03:20:50 PM	Service Configuration test started		2023-06-29
3	06/29 03:21:24 PM	Service Performance test started		2023-06-29
4	06/29 03:22:18 PM	Frame Loss	00:00:01	18/18 S(1)
5	06/29 03:22:21 PM	Frame Loss	00:00:01	4/22 S(1)
6	06/29 03:27:27 PM	Frame Loss	00:00:01	4/26 S(1)
7	06/29 03:27:29 PM	Frame Loss	00:00:01	2/28 S(1)
8	06/29 03:28:29 PM	Frame Loss	00:00:01	11/39 S(1)
9	06/29 03:31:33 PM	Test Stopped		 PASS