

FTBx-8870 Report



FAIL

Report Header:	EXFO Inc.
Report Title:	
Report Date:	7/20/2022 9:59:16 AM
Type:	EtherSAM (Y.1564)
Job Information	
Job ID:	RTASK2182258
Circuit ID:	CherryRoad: GTT/002411473
Contractor Name:	
Customer Name:	spokane-k12
Operator Name:	kithc
Comment:	

Table of contents

SUMMARY	1
TEST RESULTS	5
TEST SETUP	6
FUNCTIONS	9
SYSTEM INFORMATION	9
LOGGER	12

SUMMARY

Results Summary

Test Status	
Service Configuration Test Status	Completed, Pass
Service Performance Test Status	Completed, Fail
Pass/Fail Verdict	FAIL
Start Time	7/20/2022 09:45:36 AM
Duration	00d:00:10:48
Test Recovery	0

EtherSAM

Services Summary			
	Service Name	Service Configuration Test	Service Performance Test
1	Service 1	PASS	FAIL

Service Configuration Summary						
	Service Name	Frame Loss Rate	Max Jitter (ms)	Max Latency (ms)	Max Throughput (Mbit/s)	Service Verdict
1	Service 1	3.7E-05	0.11100	11.11266	8499.74	PASS

Service Performance Summary						
	Service Name	Frame Loss Rate	Max Jitter (ms)	Max Latency (ms)	Avg Throughput (Mbit/s)	Service Verdict
1	Service 1	4.6E-02	11.21605	70.35737	8126.62	FAIL

VLAN Preservation	No Mismatch Detected
--------------------------	----------------------

RX Power Level		
	Min	Max
Power Range (dBm)	-15.0	0.5
RX Power Level (dBm)	-3.1	-3.0

RX Frequency		
	Max Negative Offset	Max Positive Offset
Frequency Offset (ppm)	-0.2	0.0

Alarms/Errors

Alarms/Errors List	
Active/Historical Alarms/Errors	Frame Loss

Interface	
Alarms	Seconds
LOS	0
Frequency	0

Ethernet	
Alarms	Seconds
Link Down	0
Local Fault Detected	0
Local Fault Received	0
Remote Fault	0

Errors	Seconds	Count	Rate
Block	0	0	0.00E00
FCS	0	0	0.00E00
Jabber	0	0	0.00E00
Oversize	Disabled		
Runt	0	0	0.00E00
Undersize	0	0	0.00E00
Total		0	

Clock Sync

Alarm	Seconds
LOC	0

IP/UDP/TCP

Errors	Seconds	Count	Rate
IP Checksum	0	0	0.00E00
UDP Checksum	0	0	0.00E00
TCP Checksum	0	0	0.00E00
Total		0	

Setup Summary

Application Type	EtherSAM (Y.1564)
-------------------------	-------------------

Interface	Port 1
Interface/Rate	10GE LAN
Connector	SFP+

Flow Control	None
---------------------	------

EtherSAM

Pass/Fail Verdict	Enabled
-------------------	---------

Sub-Tests			
Service Configuration Test		Service Performance Test	
Ramp Test	Enabled	Status	Enabled
Burst selection	Disabled	Duration	00d:00:10:00
Duration	00:00:20		

Ramp	
Step Time (s)	5
Step Values	
1	50 %
2	75 %
3	90 %
4	100 %

Services

Total Committed TX Rate (Mbit/s)	8500.00
----------------------------------	---------

Services Summary								
	Service Name	Profile	Frame Size (Bytes)	CIR (Mbit/s)	Max Jitter (ms)	Max Latency (ms)	Frame Loss Rate	CBS (Bytes)
1	Service 1	Data	EMIX	8500.00	2.00000	28.00000	1.0E-04	--

TEST RESULTS

Ethernet Traffic

Frame Type	TX Count	RX Count
Multicast	0	45
Broadcast	2	0
Unicast	317279403	302966548
Non-Unicast	2	45
Total	317279405	302966593

Frame Size (Bytes)	RX Count	%
< 64	0	0.0
64	0	0.0
65 - 127	50740149	16.7
128 - 255	50739421	16.7
256 - 511	23	0.0
512 - 1023	50223760	16.5
1024 - 1518	100520472	33.1
> 1518	50742768	16.7
Total	302966593	

Detailed EtherSAM Results

Service Configuration Test

Service 1 : Service 1

Committed Steps					
Committed Step	Frame Loss Rate	Max Jitter (ms)	Max Latency (ms)	Verdict	Avg Throughput (Mbit/s)
1-50%CIR	0.0E-00	0.06390	7.89947	PASS	4249.93
2-75%CIR	0.0E-00	0.07670	8.92530	PASS	6374.97
3-90%CIR	0.0E-00	0.11100	9.11981	PASS	7650.01
CIR	3.7E-05	0.07114	11.11266	PASS	8499.74

Service Performance Test

Service 1 : Service 1

	Average	Minimum	Maximum	Estimate
Throughput (Mbit/s)	8126.62	4871.83	8650.55	N/A
Jitter (ms)	0.00070	< 0.00001	11.21605	0.00056
Latency (ms)	18.19414	7.34295	70.35737	N/A
	Seconds	Count	Rate	
Frame Loss	415	14312734	4.6E-02	
Out-of-Sequence	0	0	0.0E00	

TEST SETUP

Clock Synchronization	
Clock Mode	Internal

Detailed Services Configuration

Layer Mode	Mixed
IP Version	IPv4
Global Pass/Fail Verdict	Enabled
Total Committed TX Rate (Mbit/s)	8500.00

Service 1

Service Profile	
Service Name	Service 1
Profile	Data
Frame Size Type	EMIX
Frame Size (Bytes)	70, 128, 512, 1024, 1518, 9000

SLA Parameters	
Information Rate	
CIR (Mbit/s)	8500.00
Performance Criteria	
Max Jitter (ms)	2.00000
Max Latency (ms)	28.00000
Frame Loss Rate	1.0E-04

Test Parameters

Framing	
Frame Format	Ethernet II
Network Layer	IPv4
Transport Layer	UDP
VLAN	None
MPLS	Disabled

Addressing

	MAC	IP Address	UDP Port
Source	00:03:01:F8:22:D8	10.112.0.1 / 255.255.255.0	49184
Destination	00:03:01:13:C0:94	10.112.0.100	7

EtherType	0x0800
Automatic IP (DHCP)	Disabled
TTL	128
TOS	0x00
Default Gateway	Disabled

FUNCTIONS

Ping & Trace Route

Network	
Source MAC Address	00:03:01:F8:22:D8
Source IP Address	10.112.0.1 (Stream 1)
Destination IP Address	10.112.0.100

Ping	
Timeout (ms)	4000
Delay (ms)	1000
Data Size (Bytes)	32
TTL	128
Type Of Service (TOS)	0x00

Ping Results		
No.	Status	Reply Details
1	Successful	IP=10.112.0.100, Bytes=32, Time=7 ms, TTL=127

Ping Statistics	
Packets Transmitted	1
Packets Received	1
Percentage Lost (%)	0.0
Minimum Round Trip Time (ms)	7
Maximum Round Trip Time (ms)	7
Average Round Trip Time (ms)	7

Trace Route	
Timeout (ms)	4000
Max Hop Count	128

SYSTEM INFORMATION

Product Name	Power Blazer Series
Version	Power Blazer Series 1.94
Module ID	FTBx-8870
Slot ID	1
Software Product Version	1.94.0.63
	Power Blazer Series 1.94
Assembly Hardware Revision	B
Serial Number	1343184
Calibration Date	4/20/2020 8:28:00 PM

Pluggable Module

Module ID	SFP+
Vendor Name	WFS
Part Number	WFSP-1396-10-J
Serial Number	3172922861
Hardware Revision	1.0
Connector Type	LC
Speed	10G
Type/Compliance Code	LR, 10.0 km (SMF)
Wavelength	1310 nm
Mode	Single-Mode Fiber
Power Class	Power Class 1 Module (<= 1W max)
Temperature (Max)	34.2 °C

Software Options

DS1-FDL	DS1/1.5M Facility Data Link	Disabled
---------	-----------------------------	----------

CPRI-10.1G	CPRI 10.1376 Gbit/s	Disabled
SDH	Synchronous Digital Hierarchy	Enabled
SONET	Synchronous Optical Network	Enabled
622M	622 Mbit/s	Disabled
eCPRI-10G	eCPRI over 10G Ethernet	Disabled
DSn	Digital Signal (DS1, DS3)	Disabled
PDH	Plesiochronous Digital Hierarchy (E1, E3, E4)	Disabled
155M	155 Mbit/s	Disabled
2488M	2.488 Gbit/s	Disabled
10G_LAN	Ethernet 10G LAN optical interface	Enabled
10G_WAN	Ethernet 10G WAN optical interface	Enabled
L2-Transparency	L2CP Handling Test in EtherSAM	Disabled
TCM	Tandem Connection Monitoring HO/LO	Disabled
G82752	ITU-T G.8275.2 Profile	Disabled
TunableOptics	Tunable Wavelength Support for SFP+	Disabled
9953M	9.953 Gbit/s	Disabled
OTU1	Optical Transport Unit-1 (2.7 Gbit/s)	Disabled
OTU2	Optical Transport Unit-2 (10.7 Gbit/s)	Disabled
100optical	Ethernet 100Base-FX (Optical) Interface	Disabled
GigE_Optical	Ethernet 1000Base-X (Optical) Interface	Enabled
GigE_Electrical	Ethernet 1000Base-T (Electrical) Interface	Enabled
FC-1X	Fibre Channel 1X	Disabled
FC-2X	Fibre Channel 2X	Disabled
TCP-THPUT	Tcp Throughput Test Application	Disabled
100electrical	Ethernet 100Base-TX (Electrical) Interface	Enabled
10electrical	Ethernet 10Base-T (Electrical) Interface	Enabled
ODUMUX	ODU Multiplexing Payload Type 20 and 21	Disabled
FC-10X	Fibre Channel 10X	Disabled
OTU2-1e-2e	Optical Transport Unit-2 Overclocked (11.049/11.096 Gbit/s)	Disabled
FC-4X	Fibre Channel 4X	Disabled
ADV-FILTERS	Advanced Filtering	Disabled
MPLS	MPLS Encapsulation (10GE and less)	Disabled
IPV6	Internet Protocol Version 6 (IPv6) (10GE and less)	Disabled
OTN-INTR-THRU	OTN Intrusive Through Mode	Disabled
EoOTN	Ethernet over Optical Transport Network	Disabled
ETH-THRU	Through Mode Test Application	Disabled
OTU2-1f-2f	Optical Transport Unit-2 Overclocked (11.270/11.317 Gbit/s)	Disabled
Cable_Test	Cable Test	Disabled
ODU0	OTN ODU0	Disabled
ETH-CAPTURE	Ethernet Frame Capture for Advanced Troubleshooting	Disabled
ODUflex	OTN ODUflex	Disabled
TRAFFIC-SCAN	Traffic Scan	Disabled
52M	52 Mbit/s	Enabled
NI-CSU	NI/CSU Emulation	Disabled
FC-8X	Fibre Channel 8X	Disabled
CPRI	CPRI 2.4576 Gbit/s and 3.072 Gbit/s	Disabled

OBSAI	OBSAI 3.072 Gbit/s	Disabled
1588PTP	1588 Precision Time Protocol	Disabled
SyncE	Synchronous Ethernet	Disabled
ETH-OAM	Carrier Ethernet OAM Test Application	Disabled
CPRI-1.2G	CPRI 1.2288 Gbit/s	Disabled
CPRI-4.9G	CPRI 4.9152 Gbit/s	Disabled
CPRI-6.1G	CPRI 6.144 Gbit/s	Disabled
CPRI-9.8G	CPRI 9.8304 Gbit/s	Disabled
DUAL-PORT	Dual Port Test	Disabled
RFC6349	RFC 6349 Test Application (10GE and less)	Disabled
iSAM	Intelligent Service Activation Methodology	Disabled
PoE	Power Over Ethernet	Disabled
LINK-OAM	Link OAM	Disabled
DP-CPRI	Dual Port CPRI	Disabled
TST-OAM	Test Over Service OAM	Disabled
G82751	ITU-T G.8275.1 Profile	Disabled
iOptics	Intelligent Pluggable Optic Test Application	Disabled
EoE	Ethernet over Ethernet Encapsulation (10GE and less)	Disabled
PBBTE	Provider Backbone Bridge Encapsulation (10GE and less)	Disabled
RFC6349-EXFOWorx	Enables EXFO Worx Interop Operation Mode	Disabled
GCC-BERT	OTN Overhead BERT and Synchronization Validation	Disabled
OBSAI-1.5G	OBSAI 1.536 Gbit/s	Disabled
OBSAI-6.1G	OBSAI 6.144 Gbit/s	Disabled
DTS-NAT	NAT Traversal for DTS applications	Disabled

LOGGER

ID	Start Time	Event	Duration	Details
1	07/20 09:45:36 AM	Test Started		2022-07-20
2	07/20 09:45:40 AM	Service Configuration test started		2022-07-20
3	07/20 09:46:14 AM	Service Performance test started		2022-07-20
4	07/20 09:46:19 AM	Frame Loss	00:00:01	236/236 S(1)
5	07/20 09:46:21 AM	Frame Loss	00:00:03	165/401 S(1)
6	07/20 09:46:26 AM	Frame Loss	00:00:01	27/428 S(1)
7	07/20 09:46:35 AM	Frame Loss	00:00:01	120/548 S(1)
8	07/20 09:46:37 AM	Frame Loss	00:00:01	153/701 S(1)
9	07/20 09:46:39 AM	Frame Loss	00:00:01	163/864 S(1)
10	07/20 09:46:41 AM	Frame Loss	00:00:01	46/910 S(1)
11	07/20 09:46:43 AM	Frame Loss	00:00:06	694/1604 S(1)

ID	Start Time	Event	Duration	Details
12	07/20 09:46:50 AM	Frame Loss	00:00:02	15829/17433 S(1)
13	07/20 09:46:50 AM	Jitter > 2.0 ms	00:00:02	6.70159 ms S(1)
14	07/20 09:46:50 AM	Latency > 28.0 ms	00:00:02	33.87182 ms S(1)
15	07/20 09:46:53 AM	Frame Loss	00:00:04	691/18124 S(1)
16	07/20 09:46:58 AM	Frame Loss	00:00:09	355525/373649 S(1)
17	07/20 09:46:58 AM	Jitter > 2.0 ms	00:00:09	7.46689 ms S(1)
18	07/20 09:46:58 AM	Latency > 28.0 ms	00:00:09	44.89528 ms S(1)
19	07/20 09:47:09 AM	Frame Loss	00:00:01	49/373698 S(1)
20	07/20 09:47:11 AM	Frame Loss	00:00:03	260/373958 S(1)
21	07/20 09:47:17 AM	Frame Loss	00:00:01	48/374006 S(1)
22	07/20 09:47:22 AM	Frame Loss	00:00:05	3053/377059 S(1)
23	07/20 09:47:23 AM	Jitter > 2.0 ms	00:00:01	4.8438 ms S(1)
24	07/20 09:47:23 AM	Latency > 28.0 ms	00:00:01	28.09096 ms S(1)
25	07/20 09:47:29 AM	Frame Loss	00:00:02	163/377222 S(1)
26	07/20 09:47:32 AM	Frame Loss	00:00:01	4905/382127 S(1)
27	07/20 09:47:32 AM	Jitter > 2.0 ms	00:00:01	4.9956 ms S(1)
28	07/20 09:47:32 AM	Latency > 28.0 ms	00:00:01	30.8994 ms S(1)
29	07/20 09:47:34 AM	Frame Loss	00:00:04	49768/431895 S(1)
30	07/20 09:47:34 AM	Jitter > 2.0 ms	00:00:03	8.44228 ms S(1)
31	07/20 09:47:34 AM	Latency > 28.0 ms	00:00:04	36.27357 ms S(1)
32	07/20 09:47:41 AM	Frame Loss	00:00:01	1415/433310 S(1)
33	07/20 09:47:41 AM	Jitter > 2.0 ms	00:00:01	2.1194 ms S(1)
34	07/20 09:47:41 AM	Latency > 28.0 ms	00:00:01	28.19038 ms S(1)
35	07/20 09:47:49 AM	Frame Loss	00:00:02	7833/441143 S(1)
36	07/20 09:47:50 AM	Jitter > 2.0 ms	00:00:01	5.00661 ms S(1)
37	07/20 09:47:50 AM	Latency > 28.0 ms	00:00:01	30.6502 ms S(1)
38	07/20 09:47:57 AM	Frame Loss	00:00:01	64/441207 S(1)
39	07/20 09:48:04 AM	Frame Loss	00:00:02	58323/499530 S(1)
40	07/20 09:48:04 AM	Jitter > 2.0 ms	00:00:01	6.16257 ms S(1)
41	07/20 09:48:04 AM	Latency > 28.0 ms	00:00:01	35.10382 ms S(1)
42	07/20 09:48:08 AM	Frame Loss	00:00:01	8/499538 S(1)

ID	Start Time	Event	Duration	Details
43	07/20 09:48:13 AM	Frame Loss	00:00:02	32424/531962 S(1)
44	07/20 09:48:13 AM	Jitter > 2.0 ms	00:00:02	5.93879 ms S(1)
45	07/20 09:48:13 AM	Latency > 28.0 ms	00:00:02	39.1988 ms S(1)
46	07/20 09:48:17 AM	Frame Loss	00:00:04	188505/720467 S(1)
47	07/20 09:48:17 AM	Jitter > 2.0 ms	00:00:03	5.77566 ms S(1)
48	07/20 09:48:17 AM	Latency > 28.0 ms	00:00:03	36.22747 ms S(1)
49	07/20 09:48:22 AM	Frame Loss	00:00:01	16154/736621 S(1)
50	07/20 09:48:22 AM	Jitter > 2.0 ms	00:00:01	3.90104 ms S(1)
51	07/20 09:48:22 AM	Latency > 28.0 ms	00:00:01	32.58482 ms S(1)
52	07/20 09:48:26 AM	Frame Loss	00:00:01	237/736858 S(1)
53	07/20 09:48:36 AM	Frame Loss	00:00:01	6255/743113 S(1)
54	07/20 09:48:36 AM	Jitter > 2.0 ms	00:00:01	5.39122 ms S(1)
55	07/20 09:48:36 AM	Latency > 28.0 ms	00:00:01	34.86511 ms S(1)
56	07/20 09:48:38 AM	Frame Loss	00:00:01	78/743191 S(1)
57	07/20 09:48:40 AM	Frame Loss	00:00:01	108/743299 S(1)
58	07/20 09:48:47 AM	Frame Loss	00:00:06	174514/917813 S(1)
59	07/20 09:48:47 AM	Jitter > 2.0 ms	00:00:05	6.66325 ms S(1)
60	07/20 09:48:47 AM	Latency > 28.0 ms	00:00:05	40.13413 ms S(1)
61	07/20 09:48:57 AM	Frame Loss	00:00:01	261/918074 S(1)
62	07/20 09:49:00 AM	Frame Loss	00:00:02	27/918101 S(1)
63	07/20 09:49:03 AM	Frame Loss	00:00:01	216/918317 S(1)
64	07/20 09:49:06 AM	Frame Loss	00:00:03	4364/922681 S(1)
65	07/20 09:49:07 AM	Jitter > 2.0 ms	00:00:01	2.50373 ms S(1)
66	07/20 09:49:07 AM	Latency > 28.0 ms	00:00:01	28.59035 ms S(1)
67	07/20 09:49:10 AM	Frame Loss	00:00:08	6278/928959 S(1)
68	07/20 09:49:14 AM	Jitter > 2.0 ms	00:00:01	4.84416 ms S(1)
69	07/20 09:49:14 AM	Latency > 28.0 ms	00:00:01	35.17916 ms S(1)
70	07/20 09:49:19 AM	Frame Loss	00:00:04	7836/936795 S(1)
71	07/20 09:49:20 AM	Latency > 28.0 ms	00:00:02	32.30058 ms S(1)
72	07/20 09:49:26 AM	Frame Loss	00:00:02	34315/971110 S(1)
73	07/20 09:49:27 AM	Jitter > 2.0 ms	00:00:01	6.81175 ms S(1)

ID	Start Time	Event	Duration	Details
74	07/20 09:49:27 AM	Latency > 28.0 ms	00:00:01	36.55358 ms S(1)
75	07/20 09:49:30 AM	Frame Loss	00:00:02	97/971207 S(1)
76	07/20 09:49:33 AM	Frame Loss	00:00:09	205565/1176772 S(1)
77	07/20 09:49:33 AM	Jitter > 2.0 ms	00:00:04	6.66344 ms S(1)
78	07/20 09:49:33 AM	Latency > 28.0 ms	00:00:04	47.32335 ms S(1)
79	07/20 09:49:38 AM	Jitter > 2.0 ms	00:00:04	5.86932 ms S(1)
80	07/20 09:49:38 AM	Latency > 28.0 ms	00:00:04	41.00042 ms S(1)
81	07/20 09:49:43 AM	Frame Loss	00:00:01	4335/1181107 S(1)
82	07/20 09:49:43 AM	Jitter > 2.0 ms	00:00:01	2.20332 ms S(1)
83	07/20 09:49:43 AM	Latency > 28.0 ms	00:00:01	34.56466 ms S(1)
84	07/20 09:49:45 AM	Frame Loss	00:00:04	101195/1282302 S(1)
85	07/20 09:49:45 AM	Jitter > 2.0 ms	00:00:04	6.64909 ms S(1)
86	07/20 09:49:45 AM	Latency > 28.0 ms	00:00:04	37.42166 ms S(1)
87	07/20 09:49:50 AM	Frame Loss	00:00:02	9279/1291581 S(1)
88	07/20 09:49:50 AM	Latency > 28.0 ms	00:00:02	34.21447 ms S(1)
89	07/20 09:49:54 AM	Frame Loss	00:00:01	52/1291633 S(1)
90	07/20 09:49:56 AM	Frame Loss	00:00:01	29844/1321477 S(1)
91	07/20 09:49:56 AM	Jitter > 2.0 ms	00:00:01	5.93878 ms S(1)
92	07/20 09:49:56 AM	Latency > 28.0 ms	00:00:01	31.45619 ms S(1)
93	07/20 09:49:59 AM	Frame Loss	00:00:04	24459/1345936 S(1)
94	07/20 09:49:59 AM	Jitter > 2.0 ms	00:00:01	3.81903 ms S(1)
95	07/20 09:49:59 AM	Latency > 28.0 ms	00:00:02	34.47898 ms S(1)
96	07/20 09:50:06 AM	Frame Loss	00:00:01	77/1346013 S(1)
97	07/20 09:50:08 AM	Frame Loss	00:00:07	133439/1479452 S(1)
98	07/20 09:50:10 AM	Jitter > 2.0 ms	00:00:03	6.49475 ms S(1)
99	07/20 09:50:10 AM	Latency > 28.0 ms	00:00:04	37.95929 ms S(1)
100	07/20 09:50:16 AM	Frame Loss	00:02:54	10137863/11617315 S(1)
101	07/20 09:50:17 AM	Jitter > 2.0 ms	00:00:01	5.55433 ms S(1)
102	07/20 09:50:17 AM	Latency > 28.0 ms	00:00:01	34.7833 ms S(1)
103	07/20 09:50:19 AM	Jitter > 2.0 ms	00:00:02	5.31871 ms S(1)
104	07/20 09:50:19 AM	Latency > 28.0 ms	00:00:02	36.86011 ms S(1)

ID	Start Time	Event	Duration	Details
105	07/20 09:50:22 AM	Jitter > 2.0 ms	00:00:59	8.76625 ms S(1)
106	07/20 09:50:22 AM	Latency > 28.0 ms	00:02:47	70.35737 ms S(1)
107	07/20 09:51:22 AM	Jitter > 2.0 ms	00:00:02	4.06268 ms S(1)
108	07/20 09:51:25 AM	Jitter > 2.0 ms	00:00:47	11.21605 ms S(1)
109	07/20 09:52:13 AM	Jitter > 2.0 ms	00:00:43	8.68565 ms S(1)
110	07/20 09:52:57 AM	Jitter > 2.0 ms	00:00:12	6.27299 ms S(1)
111	07/20 09:53:11 AM	Frame Loss	00:00:02	9869/11627184 S(1)
112	07/20 09:53:12 AM	Jitter > 2.0 ms	00:00:01	4.00565 ms S(1)
113	07/20 09:53:12 AM	Latency > 28.0 ms	00:00:02	32.57167 ms S(1)
114	07/20 09:53:15 AM	Frame Loss	00:00:01	24351/11651535 S(1)
115	07/20 09:53:15 AM	Jitter > 2.0 ms	00:00:01	5.38899 ms S(1)
116	07/20 09:53:15 AM	Latency > 28.0 ms	00:00:01	34.05002 ms S(1)
117	07/20 09:53:19 AM	Frame Loss	00:00:05	15984/11667519 S(1)
118	07/20 09:53:20 AM	Jitter > 2.0 ms	00:00:02	3.04964 ms S(1)
119	07/20 09:53:20 AM	Latency > 28.0 ms	00:00:02	34.55296 ms S(1)
120	07/20 09:53:29 AM	Frame Loss	00:00:02	7149/11674668 S(1)
121	07/20 09:53:29 AM	Jitter > 2.0 ms	00:00:01	4.84123 ms S(1)
122	07/20 09:53:29 AM	Latency > 28.0 ms	00:00:01	30.73819 ms S(1)
123	07/20 09:53:31 AM	Latency > 28.0 ms	00:00:08	43.57237 ms S(1)
124	07/20 09:53:32 AM	Frame Loss	00:00:08	197435/11872103 S(1)
125	07/20 09:53:32 AM	Jitter > 2.0 ms	00:00:05	6.41619 ms S(1)
126	07/20 09:53:38 AM	Jitter > 2.0 ms	00:00:01	5.63359 ms S(1)
127	07/20 09:53:41 AM	Frame Loss	00:00:07	111760/11983863 S(1)
128	07/20 09:53:41 AM	Jitter > 2.0 ms	00:00:01	5.47561 ms S(1)
129	07/20 09:53:41 AM	Latency > 28.0 ms	00:00:01	30.8023 ms S(1)
130	07/20 09:53:43 AM	Jitter > 2.0 ms	00:00:01	2.10782 ms S(1)
131	07/20 09:53:43 AM	Latency > 28.0 ms	00:00:05	35.36458 ms S(1)
132	07/20 09:53:45 AM	Jitter > 2.0 ms	00:00:03	5.71735 ms S(1)
133	07/20 09:53:50 AM	Frame Loss	00:00:01	115/11983978 S(1)
134	07/20 09:53:53 AM	Frame Loss	00:00:10	119677/12103655 S(1)
135	07/20 09:53:53 AM	Jitter > 2.0 ms	00:00:01	4.45996 ms S(1)

ID	Start Time	Event	Duration	Details
136	07/20 09:53:53 AM	Latency > 28.0 ms	00:00:08	35.39557 ms S(1)
137	07/20 09:53:55 AM	Jitter > 2.0 ms	00:00:03	4.99789 ms S(1)
138	07/20 09:53:59 AM	Jitter > 2.0 ms	00:00:02	7.6066 ms S(1)
139	07/20 09:54:05 AM	Frame Loss	00:00:14	278796/12382451 S(1)
140	07/20 09:54:05 AM	Jitter > 2.0 ms	00:00:08	5.61274 ms S(1)
141	07/20 09:54:05 AM	Latency > 28.0 ms	00:00:14	35.34021 ms S(1)
142	07/20 09:54:14 AM	Jitter > 2.0 ms	00:00:05	5.54236 ms S(1)
143	07/20 09:54:25 AM	Frame Loss	00:00:06	240610/12623061 S(1)
144	07/20 09:54:25 AM	Jitter > 2.0 ms	00:00:06	6.47424 ms S(1)
145	07/20 09:54:25 AM	Latency > 28.0 ms	00:00:06	45.72375 ms S(1)
146	07/20 09:54:32 AM	Frame Loss	00:00:09	138847/12761908 S(1)
147	07/20 09:54:33 AM	Jitter > 2.0 ms	00:00:05	6.93967 ms S(1)
148	07/20 09:54:33 AM	Latency > 28.0 ms	00:00:14	37.59155 ms S(1)
149	07/20 09:54:39 AM	Jitter > 2.0 ms	00:00:02	4.07569 ms S(1)
150	07/20 09:54:42 AM	Frame Loss	00:00:05	39840/12801748 S(1)
151	07/20 09:54:43 AM	Jitter > 2.0 ms	00:00:01	6.16275 ms S(1)
152	07/20 09:54:48 AM	Frame Loss	00:00:03	114969/12916717 S(1)
153	07/20 09:54:48 AM	Jitter > 2.0 ms	00:00:03	5.95316 ms S(1)
154	07/20 09:54:48 AM	Latency > 28.0 ms	00:00:03	38.06908 ms S(1)
155	07/20 09:54:52 AM	Frame Loss	00:00:35	1349334/14266051 S(1)
156	07/20 09:54:52 AM	Jitter > 2.0 ms	00:00:26	8.79435 ms S(1)
157	07/20 09:54:52 AM	Latency > 28.0 ms	00:00:35	44.30953 ms S(1)
158	07/20 09:55:20 AM	Jitter > 2.0 ms	00:00:07	4.99267 ms S(1)
159	07/20 09:55:34 AM	Frame Loss	00:00:01	31/14266082 S(1)
160	07/20 09:55:37 AM	Frame Loss	00:00:01	23/14266105 S(1)
161	07/20 09:55:43 AM	Frame Loss	00:00:04	41542/14307647 S(1)
162	07/20 09:55:44 AM	Latency > 28.0 ms	00:00:05	36.81921 ms S(1)
163	07/20 09:55:48 AM	Frame Loss	00:00:01	4860/14312507 S(1)
164	07/20 09:55:52 AM	Frame Loss	00:00:01	19/14312526 S(1)
165	07/20 09:56:08 AM	Frame Loss	00:00:01	208/14312734 S(1)
166	07/20 09:56:23 AM	RX Rate < 8500.0 Mbit/s	00:00:02	8126.62 Mbit/s S(1)

ID	Start Time	Event	Duration	Details
167	07/20 09:56:23 AM	Frame Loss > 1.0E-04	00:00:02	4.6E-02 S(1)
168	07/20 09:56:23 AM	Service 1 Fail		1 Service 1
169	07/20 09:56:24 AM	Test Stopped		 FAIL