



FTBx-8870 Report

| vancouver-k12 |

FAIL

Report Header:	EXFO Inc.
Report Title:	vancouver-k12
Report Date:	11/16/2020 11:13:27 AM
Type:	EtherSAM (Y.1564)

Job Information

Job ID:	
Circuit ID:	
Contractor Name:	
Customer Name:	vancouver-k12
Operator Name:	danieldh
Comment:	

Table of contents

SUMMARY	1
TEST RESULTS	5
TEST SETUP	7
FUNCTIONS	10
SYSTEM INFORMATION	21
LOGGER	24

SUMMARY

Results Summary

Test Status	
Service Configuration Test Status	Completed, Fail
Service Performance Test Status	Completed, Fail
Pass/Fail Verdict	FAIL
Start Time	11/16/2020 10:49:47 AM
Duration	00d:00:11:09
Test Recovery	0

EtherSAM

Services Summary			
	Service Name	Service Configuration Test	Service Performance Test
1	Service 1	FAIL	FAIL

Service Configuration Summary							
	Service Name	Direction	Frame Loss Rate	Max Jitter (ms)	Max Latency (ms)	Max Throughput (Mbit/s)	Service Verdict
1	Service 1	L->R	0.0E-00	0.01074		9949.99	PASS
		R->L	7.0E-03	0.01110	4.06148	9416.46	FAIL

Service Performance Summary							
	Service Name	Direction	Frame Loss Rate	Max Jitter (ms)	Max Latency (ms)	Avg Throughput (Mbit/s)	Service Verdict
1	Service 1	L->R	0.0E-00	0.01086		9949.99	PASS
		R->L	6.9E-03	0.00551	4.06065	9416.70	FAIL

VLAN Preservation	No Mismatch Detected
--------------------------	----------------------

RX Power Level		
	Min	Max
Power Range (dBm)	-15.0	0.5
RX Power Level (dBm)	-3.2	-3.2

RX Frequency		
	Max Negative Offset	Max Positive Offset
Frequency Offset (ppm)	-0.3	0.0

Alarms/Errors

Alarms/Errors List	
Active/Historical Alarms/Errors	Frame Loss

Interface	
Alarms	Seconds
LOS	0
Frequency	0

Ethernet	
Alarms	Seconds
Link Down	0
Local Fault Detected	0
Local Fault Received	0
Remote Fault	0

Errors	Seconds	Count	Rate
Block	0	0	0.00E00
FCS	0	0	0.00E00
Jabber	0	0	0.00E00
Oversize	Disabled		
Runt	0	0	0.00E00
Undersize	0	0	0.00E00
Total		0	

Clock Sync	
Alarm	Seconds
LOC	0

IP/UDP/TCP			
Errors	Seconds	Count	Rate
IP Checksum	0	0	0.00E00
UDP Checksum	0	0	0.00E00
TCP Checksum	0	0	0.00E00
Total		0	

Setup Summary

Application Type	EtherSAM (Y.1564)
------------------	-------------------

Interface	Port 1
Interface/Rate	10GE LAN
Connector	SFP+

Flow Control	None
--------------	------

EtherSAM

DTS Enabled	
Remote ID	MAX-860G96
Nat Router Detection	No NAT
Local WAN IP	N/A
Pass/Fail Verdict	Enabled

Sub-Tests			
Service Configuration Test		Service Performance Test	
Ramp Test	Enabled	Status	Enabled
Burst selection	Disabled	Duration	00d:00:10:00
Duration	00:00:20		

Ramp	
Step Time (s)	5
Step Values	
1	50 %
2	75 %
3	90 %
4	100 %

Services

Total Committed TX Rate (Mbit/s)	L->R	9950.00
	R->L	9500.00

Services Summary									
	Service Name	Profile	Frame Size (Bytes)	Direction	CIR (Mbit/s)	Max Jitter (ms)	Max Latency (ms)	Frame Loss Rate	CBS (Bytes)
1	Service 1	Data	Random	L->R	9950.00	2.00000		1.0E-04	--
				R->L	9500.00	2.00000	28.00000	1.0E-04	

TEST RESULTS

Ethernet Traffic

Frame Type	TX Count	RX Count
Multicast	0	24
Broadcast	2	2
Unicast	942026841	893117921
Non-Unicast	2	26
Total	942026843	893117947

Frame Size (Bytes)	RX Count	%
< 64	0	0.0
64	304	0.0
65 - 127	37120481	4.1
128 - 255	79196757	8.8
256 - 511	158107362	17.7
512 - 1023	315224047	35.2
1024 - 1518	303468996	33.9
> 1518	0	0.0
Total	893117947	

Detailed EtherSAM Results

Service Configuration Test**Service 1 : Service 1**

Committed Steps						
Committed Step	Direction	Frame Loss Rate	Max Jitter (ms)	Max Latency (ms)	Verdict	Avg Throughput (Mbit/s)
1-50%CIR	L->R	0.0E-00	0.01074	4.06148	PASS	4974.97
	R->L	7.0E-03	0.01110		FAIL	4707.72
2-75%CIR	L->R	0.0E-00	0.00611	4.05934	PASS	7462.49
	R->L	7.0E-03	0.00796		FAIL	7062.12
3-90%CIR	L->R	0.0E-00	0.00391	4.05847	PASS	8954.99
	R->L	6.9E-03	0.00538		FAIL	8474.94
CIR	L->R	0.0E-00	0.00085	4.05887	PASS	9949.99
	R->L	6.9E-03	0.00433		FAIL	9416.46

Service Performance Test

Service 1 : Service 1

	Direction	Average	Minimum	Maximum	Estimate
Throughput (Mbit/s)	L->R	9949.99	9949.97	9950.01	N/A
	R->L	9416.70	9412.26	9421.37	N/A
Jitter (ms)	L->R	0.00001	< 0.00001	0.01086	0.00001
	R->L	0.00007	< 0.00001	0.00551	0.00011
	R->L	4.05594	4.05092	4.06065	N/A
		Seconds	Count	Rate	
Frame Loss	L->R	0	0	0.0E00	
	R->L	596	6068039	6.9E-03	
Out-of-Sequence	L->R	0	0	0.0E00	
	R->L	0	0	0.0E00	

TEST SETUP

Clock Synchronization

Clock Mode	Internal
------------	----------

Detailed Services Configuration

IP Version	IPv4	
Layer Mode	Mixed	
Global Pass/Fail Verdict	Enabled	
	L->R	R->L
Total Committed TX Rate (Mbit/s)	9950.00	9500.00

Service 1

Service Profile	
Service Name	Service 1
Profile	Data
Frame Size Type	Random

SLA Parameters		
	L->R	R->L
Information Rate		
CIR (Mbit/s)	9950.00	9500.00
Burst Size		
Performance Criteria		
Max Jitter (ms)	2.00000	2.00000
Max Latency (ms)	28.00000	28.00000
Frame Loss Rate	1.0E-04	

Test Parameters		
	L->R	R->L

Framing		
Frame Format	Ethernet II	
Network Layer	IPv4	
Transport Layer	UDP	
	L->R	R->L
VLAN	None	None

Addressing

		MAC	IP Address	UDP Port
L->R	Source	00:03:01:F8:22:DD	10.112.0.1 / 255.255.255.0	49184
	Destination	00:03:01:F8:29:97	10.112.0.100	7
R->L	Source	00:03:01:F8:29:97	10.112.0.100 / 255.255.255.0	7
	Destination	00:03:01:F8:22:DD	10.112.0.1	49184

	L->R	R->L
EtherType	0x0800	0x0800
Automatic IP (DHCP)	Disabled	No
TTL	128	128
TOS	0x00	0
Default Gateway	Disabled	Disabled

FUNCTIONS

Ping & Trace Route

Network	
Source MAC Address	00:03:01:F8:22:DD
Source IP Address	10.112.0.1 (Stream 1)
Destination IP Address	10.112.0.100

Ping	
Timeout (ms)	1000
Delay (ms)	1000
Data Size (Bytes)	32
TTL	128
Type Of Service (TOS)	0x00

Ping Results		
No.	Status	Reply Details
1	Timeout	
2	Timeout	
3	Timeout	
4	Timeout	
5	Timeout	
6	Timeout	
7	Timeout	
8	Timeout	
9	Timeout	
10	Timeout	
11	Timeout	
12	Timeout	
13	Timeout	

14	Timeout	
15	Timeout	
16	Timeout	
17	Timeout	
18	Timeout	
19	Timeout	
20	Timeout	
21	Timeout	
22	Timeout	
23	Timeout	
24	Timeout	
25	Timeout	
26	Timeout	
27	Timeout	
28	Timeout	
29	Timeout	
30	Timeout	
31	Timeout	
32	Timeout	
33	Timeout	
34	Timeout	
35	Timeout	
36	Timeout	
37	Timeout	
38	Timeout	
39	Timeout	
40	Timeout	
41	Timeout	
42	Timeout	
43	Timeout	
44	Timeout	
45	Timeout	
46	Timeout	
47	Timeout	
48	Timeout	
49	Timeout	
50	Timeout	
51	Timeout	
52	Timeout	
53	Timeout	
54	Timeout	
55	Timeout	
56	Timeout	

57	Timeout	
58	Timeout	
59	Timeout	
60	Timeout	
61	Timeout	
62	Timeout	
63	Timeout	
64	Timeout	
65	Timeout	
66	Timeout	
67	Timeout	
68	Timeout	
69	Timeout	
70	Timeout	
71	Timeout	
72	Timeout	
73	Timeout	
74	Timeout	
75	Timeout	
76	Timeout	
77	Timeout	
78	Timeout	
79	Timeout	
80	Timeout	
81	Timeout	
82	Timeout	
83	Timeout	
84	Timeout	
85	Timeout	
86	Timeout	
87	Timeout	
88	Timeout	
89	Timeout	
90	Timeout	
91	Timeout	
92	Timeout	
93	Timeout	
94	Timeout	
95	Timeout	
96	Timeout	
97	Timeout	
98	Timeout	
99	Timeout	

100	Timeout	
101	Timeout	
102	Timeout	
103	Timeout	
104	Timeout	
105	Timeout	
106	Timeout	
107	Timeout	
108	Timeout	
109	Timeout	
110	Timeout	
111	Timeout	
112	Timeout	
113	Timeout	
114	Timeout	
115	Timeout	
116	Timeout	
117	Timeout	
118	Timeout	
119	Timeout	
120	Timeout	
121	Timeout	
122	Timeout	
123	Timeout	
124	Timeout	
125	Timeout	
126	Timeout	
127	Timeout	
128	Timeout	
129	Timeout	
130	Timeout	
131	Timeout	
132	Timeout	
133	Timeout	
134	Timeout	
135	Timeout	
136	Timeout	
137	Timeout	
138	Timeout	
139	Timeout	
140	Timeout	
141	Timeout	
142	Timeout	

143	Timeout	
144	Timeout	
145	Timeout	
146	Timeout	
147	Timeout	
148	Timeout	
149	Timeout	
150	Timeout	
151	Timeout	
152	Timeout	
153	Timeout	
154	Timeout	
155	Timeout	
156	Timeout	
157	Timeout	
158	Timeout	
159	Timeout	
160	Timeout	
161	Timeout	
162	Timeout	
163	Timeout	
164	Timeout	
165	Timeout	
166	Timeout	
167	Timeout	
168	Timeout	
169	Timeout	
170	Timeout	
171	Timeout	
172	Timeout	
173	Timeout	
174	Timeout	
175	Timeout	
176	Timeout	
177	Timeout	
178	Timeout	
179	Timeout	
180	Timeout	
181	Timeout	
182	Timeout	
183	Timeout	
184	Timeout	
185	Timeout	

186	Timeout	
187	Timeout	
188	Timeout	
189	Timeout	
190	Timeout	
191	Timeout	
192	Timeout	
193	Timeout	
194	Timeout	
195	Timeout	
196	Timeout	
197	Timeout	
198	Timeout	
199	Timeout	
200	Timeout	
201	Timeout	
202	Timeout	
203	Timeout	
204	Timeout	
205	Timeout	
206	Timeout	
207	Timeout	
208	Timeout	
209	Timeout	
210	Timeout	
211	Timeout	
212	Timeout	
213	Timeout	
214	Timeout	
215	Timeout	
216	Timeout	
217	Timeout	
218	Timeout	
219	Timeout	
220	Timeout	
221	Timeout	
222	Timeout	
223	Timeout	
224	Timeout	
225	Timeout	
226	Timeout	
227	Timeout	
228	Timeout	

229	Timeout	
230	Timeout	
231	Timeout	
232	Timeout	
233	Timeout	
234	Timeout	
235	Timeout	
236	Timeout	
237	Timeout	
238	Timeout	
239	Timeout	
240	Timeout	
241	Timeout	
242	Timeout	
243	Timeout	
244	Timeout	
245	Timeout	
246	Timeout	
247	Timeout	
248	Timeout	
249	Timeout	
250	Timeout	
251	Timeout	
252	Timeout	
253	Timeout	
254	Timeout	
255	Timeout	
256	Timeout	
257	Timeout	
258	Timeout	
259	Timeout	
260	Timeout	
261	Timeout	
262	Timeout	
263	Timeout	
264	Timeout	
265	Timeout	
266	Timeout	
267	Timeout	
268	Timeout	
269	Timeout	
270	Timeout	
271	Timeout	

272	Timeout	
273	Timeout	
274	Timeout	
275	Timeout	
276	Timeout	
277	Timeout	
278	Timeout	
279	Timeout	
280	Timeout	
281	Timeout	
282	Timeout	
283	Timeout	
284	Timeout	
285	Timeout	
286	Timeout	
287	Timeout	
288	Timeout	
289	Timeout	
290	Timeout	
291	Timeout	
292	Timeout	
293	Timeout	
294	Timeout	
295	Timeout	
296	Timeout	
297	Timeout	
298	Timeout	
299	Timeout	
300	Timeout	
301	Timeout	
302	Timeout	
303	Timeout	
304	Timeout	
305	Timeout	
306	Timeout	
307	Timeout	
308	Timeout	
309	Timeout	
310	Timeout	
311	Timeout	
312	Timeout	
313	Timeout	
314	Timeout	

315	Timeout	
316	Timeout	
317	Timeout	
318	Timeout	
319	Timeout	
320	Timeout	
321	Timeout	
322	Timeout	
323	Timeout	
324	Timeout	
325	Timeout	
326	Timeout	
327	Timeout	
328	Timeout	
329	Timeout	
330	Timeout	
331	Timeout	
332	Timeout	
333	Timeout	
334	Timeout	
335	Timeout	
336	Timeout	
337	Timeout	
338	Timeout	
339	Timeout	
340	Timeout	
341	Timeout	
342	Timeout	
343	Timeout	
344	Timeout	
345	Timeout	
346	Timeout	
347	Timeout	
348	Timeout	
349	Timeout	
350	Timeout	
351	Timeout	
352	Timeout	
353	Timeout	
354	Timeout	
355	Timeout	
356	Timeout	
357	Timeout	

358	Timeout	
359	Timeout	
360	Timeout	
361	Timeout	
362	Timeout	
363	Timeout	
364	Timeout	
365	Timeout	
366	Timeout	
367	Timeout	
368	Timeout	
369	Timeout	
370	Timeout	
371	Timeout	
372	Timeout	
373	Timeout	
374	Timeout	
375	Timeout	
376	Timeout	
377	Timeout	
378	Timeout	
379	Timeout	
380	Timeout	
381	Timeout	
382	Timeout	
383	Timeout	
384	Timeout	
385	Timeout	
386	Timeout	
387	Timeout	
388	Timeout	
389	Timeout	
390	Timeout	
391	Timeout	
392	Timeout	
393	Timeout	
394	Timeout	
395	Timeout	
396	Timeout	
397	Timeout	
398	Timeout	
399	Timeout	
400	Timeout	

401	Timeout	
402	Timeout	
403	Timeout	
404	Timeout	
405	Timeout	
406	Timeout	
407	Timeout	
408	Timeout	
409	Timeout	
410	Timeout	
411	Timeout	
412	Timeout	
413	Timeout	
414	Timeout	
415	Timeout	
416	Timeout	
417	Timeout	
418	Successful	IP=10.112.0.100, Bytes=32, Time=4 ms, TTL=127
419	Successful	IP=10.112.0.100, Bytes=32, Time=4 ms, TTL=127
420	Successful	IP=10.112.0.100, Bytes=32, Time=4 ms, TTL=127
421	Successful	IP=10.112.0.100, Bytes=32, Time=4 ms, TTL=127
422	Successful	IP=10.112.0.100, Bytes=32, Time=4 ms, TTL=127
423	Successful	IP=10.112.0.100, Bytes=32, Time=4 ms, TTL=127
424	Successful	IP=10.112.0.100, Bytes=32, Time=4 ms, TTL=127
425	Successful	IP=10.112.0.100, Bytes=32, Time=4 ms, TTL=127
426	Successful	IP=10.112.0.100, Bytes=32, Time=4 ms, TTL=127
427	Successful	IP=10.112.0.100, Bytes=32, Time=4 ms, TTL=127
428	Successful	IP=10.112.0.100, Bytes=32, Time=4 ms, TTL=127
429	Successful	IP=10.112.0.100, Bytes=32, Time=4 ms, TTL=127
430	Successful	IP=10.112.0.100, Bytes=32, Time=4 ms, TTL=127
431	Successful	IP=10.112.0.100, Bytes=32, Time=4 ms, TTL=127
432	Successful	IP=10.112.0.100, Bytes=32, Time=4 ms, TTL=127
433	Successful	IP=10.112.0.100, Bytes=32, Time=4 ms, TTL=127
434	User aborted	

Ping Statistics	
Packets Transmitted	433
Packets Received	16
Percentage Lost (%)	96.3
Minimum Round Trip Time (ms)	4
Maximum Round Trip Time (ms)	4
Average Round Trip Time (ms)	4

Trace Route	
Timeout (ms)	4000
Max Hop Count	128

SYSTEM INFORMATION

Product Name	Power Blazer Series
Version	Power Blazer Series 1.70
Module ID	FTBx-8870
Slot ID	1
Software Product Version	1.70.0.103
	Power Blazer Series 1.70
Assembly Hardware Revision	B
Serial Number	1343183
Calibration Date	4/20/2020 9:30:00 PM

Pluggable Module

Module ID	SFP+
Vendor Name	WFS
Part Number	WFSP-1396-10-J
Serial Number	3161413565
Hardware Revision	1.0
Connector Type	LC
Speed	10G
Type/Compliance Code	LR, 10.0 km (SMF)
Wavelength	1310 nm
Mode	Single-Mode Fiber
Power Class	Power Class 1 Module (<= 1W max)
Temperature (Max)	33.2 °C

Software Options

DS1-FDL	DS1/1.5M Facility Data Link	Disabled
CPRI-10.1G	CPRI 10.1376 Gbit/s	Disabled
SDH	Synchronous Digital Hierarchy	Enabled
SONET	Synchronous Optical Network	Enabled
622M	622 Mbit/s	Disabled
eCPRI-10G	eCPRI over 10G Ethernet	Disabled
DSn	Digital Signal (DS1, DS3)	Disabled
PDH	Plesiochronous Digital Hierarchy (E1, E3, E4)	Disabled
155M	155 Mbit/s	Disabled
2488M	2.488 Gbit/s	Disabled
10G_LAN	Ethernet 10G LAN optical interface	Enabled
10G_WAN	Ethernet 10G WAN optical interface	Enabled
L2-Transparency	L2CP Handling Test in EtherSAM	Disabled
TCM	Tandem Connection Monitoring HO/LO	Disabled

TunableOptics	Tunable Wavelength Support for SFP+	Disabled
9953M	9.953 Gbit/s	Disabled
OTU1	Optical Transport Unit-1 (2.7 Gbit/s)	Disabled
OTU2	Optical Transport Unit-2 (10.7 Gbit/s)	Disabled
100Optical	Ethernet 100Base-FX (Optical) Interface	Disabled
GigE_Optical	Ethernet 1000Base-X (Optical) Interface	Enabled
GigE_Electrical	Ethernet 1000Base-T (Electrical) Interface	Enabled
FC-1X	Fibre Channel 1X	Disabled
FC-2X	Fibre Channel 2X	Disabled
TCP-THPUT	Tcp Throughput Test Application	Disabled
100electrical	Ethernet 100Base-TX (Electrical) Interface	Enabled
10electrical	Ethernet 10Base-T (Electrical) Interface	Enabled
ODUMUX	ODU Multiplexing Payload Type 20 and 21	Disabled
FC-10X	Fibre Channel 10X	Disabled
OTU2-1e-2e	Optical Transport Unit-2 Overclocked (11.049/11.096 Gbit/s)	Disabled
FC-4X	Fibre Channel 4X	Disabled
ADV-FILTERS	Advanced Filtering	Disabled
MPLS	MPLS Encapsulation (10GE and less)	Disabled
IPV6	Internet Protocol Version 6 (IPv6) (10GE and less)	Disabled
OTN-INTR-THRU	OTN Intrusive Through Mode	Disabled
EoOTN	Ethernet over Optical Transport Network	Disabled
ETH-THRU	Through Mode Test Application	Disabled
OTU2-1f-2f	Optical Transport Unit-2 Overclocked (11.270/11.317 Gbit/s)	Disabled
Cable_Test	Cable Test	Disabled
ODU0	OTN ODU0	Disabled
ETH-CAPTURE	Ethernet Frame Capture for Advanced Troubleshooting	Disabled
ODUflex	OTN ODUflex	Disabled
TRAFFIC-SCAN	Traffic Scan	Disabled
52M	52 Mbit/s	Enabled
NI-CSU	NI/CSU Emulation	Disabled
FC-8X	Fibre Channel 8X	Disabled
CPRI	CPRI 2.4576 Gbit/s and 3.072 Gbit/s	Disabled
OBSAI	OBSAI 3.072 Gbit/s	Disabled
1588PTP	1588 Precision Time Protocol	Disabled
SyncE	Synchronous Ethernet	Disabled
ETH-OAM	Carrier Ethernet OAM Test Application	Disabled
CPRI-1.2G	CPRI 1.2288 Gbit/s	Disabled
CPRI-4.9G	CPRI 4.9152 Gbit/s	Disabled
CPRI-6.1G	CPRI 6.144 Gbit/s	Disabled
CPRI-9.8G	CPRI 9.8304 Gbit/s	Disabled
DUAL-PORT	Dual Port Test	Disabled
RFC6349	RFC 6349 Test Application (10GE and less)	Disabled
iSAM	Intelligent Service Activation Methodology	Disabled
PoE	Power Over Ethernet	Disabled
LINK-OAM	Link OAM	Disabled
DP-CPRI	Dual Port CPRI	Disabled

TST-OAM	Test Over Service OAM	Disabled
G82751	ITU-T G.8275.1 Profile	Disabled
iOptics	Intelligent Pluggable Optic Test Application	Disabled
EoE	Ethernet over Ethernet Encapsulation (10GE and less)	Disabled
PBBTE	Provider Backbone Bridge Encapsulation (10GE and less)	Disabled
RFC6349-EXFOWorx	Enables EXFO Worx Interop Operation Mode	Disabled
GCC-BERT	OTN Overhead BERT and Synchronization Validation	Disabled
OBSAI-1.5G	OBSAI 1.536 Gbit/s	Disabled
OBSAI-6.1G	OBSAI 6.144 Gbit/s	Disabled
DTS-NAT	NAT Traversal for DTS applications	Disabled

LOGGER

ID	Start Time	Event	Duration	Details
1	11/16 10:49:47 AM	Test Started		2020-11-16
2	11/16 10:50:01 AM	Service Configuration te		2020-11-16
3	11/16 10:50:29 AM	Service 1 Fail		1 Service 1
4	11/16 10:50:45 AM	Service Performance tes		2020-11-16
5	11/16 10:50:49 AM	Frame Loss	00:00:26	252702/252702 S(1)
6	11/16 10:51:16 AM	Frame Loss	00:09:41	5815337/6068039 S(1)
7	11/16 11:00:56 AM	RX Rate < 9500.0 Mbit/	00:00:01	9416.7 Mbit/s S(1)
8	11/16 11:00:56 AM	Frame Loss > 1.0E-04	00:00:01	6.9E-03 S(1)
9	11/16 11:00:56 AM	Service 1 Fail		1 Service 1
10	11/16 11:00:56 AM	Test Stopped		 FAIL